

## IN THE SPECIFICATION

Please replace paragraph [0013] corresponding to page 3, lines 16-23, with the following new paragraph:

[0013] The closest complex preparation to the present complex preparation—the prototype—is a kit used for treatment of primary liver cancer and comprising doxorubicinestrone in an amount of 20-60 mg in 15 ml vials, Lipiodol ultrafluid in two ampules by 10 ml, AFP in an amount of 2-10 mg in 10 ml vials, physiological salt in volume of 15 ml in an ampule and 96% ethyl alcohol in volume of 5 ml in an ampule (~~U.S. Pat.~~ Patent Ru 2,065,307, cl. A 61 K 38/17, published Aug. 20, 1996, Bulletin No. 23).

Please replace paragraph [0019] corresponding to page 4, line 10, with the following new paragraph:

[0019] The established object has been achieved by means of hereby proposed method of treatment of malignant neoplasms and a complex preparation having ~~neoplastic~~ antineoplastic activity for use in such treatment.

Please replace paragraph [0024] corresponding to page 4, paragraph 7, with the following new paragraph:

[0024] As a filler sugars are mainly used, for example glucose or synthetic polymers, selected from the group of polysaccharides, for example ~~polyglykine, rheopolyglykine~~ polyglucin, rheopolyglucin and dextran 100.

Please replace paragraph [0025] corresponding to page 5, line 10, with the following new paragraph:

[0025] The complex preparation is obtained as follows: AFP with purity not less than 98% is dissolved in distilled water or physiological salt in an amount of 0.07-0.15 mg/ml, whereto a polyene antibiotic in an amount of 4.2-7.0 mg/ml and then a filler in an amount of 3.5-5.0 mg/ml are added, after that the components are carefully mixed and the resultant mixture is then left to stand at 18-25°C for 10-12 hours. Thereafter the solution is sterilized by filtration, pre-packed in ampules or vials having a capacity of 1.2 or 3 ml and freeze-dried. The mass ratio of AFP, a polyene antibiotic and a filler is 1:(~~60-100~~):(~~50-70~~) (28-100): (23-71),.

Please replace paragraph [0049] corresponding to page 11, first full paragraph (lines 9-12) with the following new paragraph:

[0049] The use of the present method of ~~treatmet~~ treatment of malignant neoplasms and the complex preparation having antineoplastic activity, as compared with the known method of treatment and the kit for use in such treatment, enables: